

marque	Designation	Usage	Plage de puissance	Levée adm. (mm)	Levée éch. (mm)	AOA	RFA	AOE	RFE	Timing Adm.	Timing Ech.	LCA	Over lap	Calage	Jeu culbu (mm)
Kent	MD246	Routier	1500-6500	7,24	7,24	18	54	54	18	252	252	108,0	36	108,0	0,4
Kent	MD 274	Fast road inj.	1000-6000	7,23	7,13	12	56	69	25	248	274	112,0	37	112,0	0,4
Kent	567	Route	2000-6500	6,67	6,67	16	56	51	21	252	252	107,5	37	110,0	0,4
Kent	948	Route	2000-6500	6,67	6,67	16	56	51	21	252	252	107,5	37	110,0	0,4
Kent	MD256	Route	1000-6000	6,66	6,66	21	53	53	21	254	254	106,0	42	106,0	0,4
Kent	450	Route	1500-6000	6,67	6,67	16	56	59	29	252	268	107,5	45	110,0	0,4
Kent	MD266	Route rapide	1000-6500	6,68	6,85	24	56	61	29	260	270	106,0	53	106,0	0,4
Kent	731	Route rapide	2500-7000	7,67	7,67	24	64	59	29	268	268	107,5	53	110,0	0,4
Kent	544	Route rapide	2500-7500	7,99	7,99	27	67	67	27	274	274	110,0	54	110,0	0,4
Kent	643	Route rapide	2500-7500	7,99	7,99	27	67	67	27	274	274	110,0	54	110,0	0,4
Kent	MD276	Route rapide	1500-7000	7,44	8,00	29	61	66	34	270	280	106,0	63	106,0	0,4
Kent	550	Route rapide	2000-7000	7,43	7,43	33	65	63	31	278	274	106,0	64	106,0	0,4
Kent	600	Route rapide	2000-7000	7,43	7,43	33	65	63	31	278	274	106,0	64	106,0	0,4
Kent	MD286	Rallye	2000-7500	8,00	8,23	34	66	71	39	280	290	106,0	73	106,0	0,4
Kent	MD296	Rallye - Race	3250-8000	8,23	8,64	39	71	76	44	290	300	106,0	83	106,0	0,4
Kent	STR930	Course	3000-7500	8,30	8,30	39	64	68	44	283	292	102,3	83	102,5	0,4
Kent	530	Course	3000-7500	8,19	8,19	43	64	61	40	287	281	100,5	83	100,5	0,4
Kent	649	Course	3000-7500	8,19	8,19	43	64	61	40	287	281	100,5	83	100,5	0,4
Kent	895	Course	3000-7500	8,19	8,19	39	69	76	51	288	307	103,8	90	105,0	0,4
Kent	598	Course	3000-7501	8,27	8,19	52	72	62	41	304	283	100,3	93	100,0	0,4
Kent	MD310	Course	4000-8500	8,74	8,74	49	81	81	49	310	310	106,0	98	106,0	0,4
Kent	MD315	Course	4500-9000	8,81	8,81	53	81	81	53	314	314	104,0	106	104,0	0,4
Kent	595	Course	3000-7500	8,19	8,19	53	73	73	53	306	306	100,0	106	100,0	0,4
Kent	475	Course	5000-9000	9,41	9,41	62	82	82	62	324	324	100,0	124	100,0	0,4
A.P.T	VP3C	Route Ville	2000-7200	8,01	8,41	34	62	71	37	276	288	105,5	71	104,0	

marque	Designation	Usage	Plage de puissance	Levée adm. (mm)	Levée éch. (mm)	AOA	RFA	AOE	RFE	Timing Adm.	Timing Ech.	LCA	Over lap	Calage	Jeu culbu (mm)
A.P.T	VP6	Route rapide	2500-7000	7,84	7,84	44	64	68	40	288	288	102,0	84	100,0	
A.P.T	VP7	Route rapide	2500-7000	7,62	7,62	30	58	65	31	268	276	105,5	61	104,0	
A.P.T	VP8C	Course	3500-7500	8,78	8,78	44	64	68	40	288	288	102,0	84	100,0	
A.P.T	VP9C	Course	3500-7500	8,78	8,92	41	65	74	42	286	296	104,0	83	102,0	
CalverST	RE13OT	Fast Road	2000-7000	7,37	7,37	34,5	61,5	63,5	32,5	276	276	104,5	67	103,5	0,4
CalverST	RE13PP	Fast Road	2500-7500	7,37	7,37	37	68	68	37	284	284	105,5	73	105,5	
MED	256 H/T	Route	1000-6000	7,25	7,21	19	57	57	19	256	256	109,0	38	109,0	0,4
Swiftune	SW5	Route	1000-6000	7,14	7,14	16	48	52	12	244	244	108,0	28	106,0	0,4
Swiftune	SW5-07	Route	1000-6000	7,26	7,26	15	47	52	10	242	242	108,5	25	106,0	0,4
Swiftune	SW10	Rallye	3500-7500	7,39	7,39	34	66	70	30	280	280	108,0	64	106,0	0,4
Morspeed	Phase 2	Route	1200-7000	7,75	7,57	20	54	54	20	254	254	107,0	40	107,0	0,4
Morspeed	Phase 3	Route-rallye	1800-7500	8,00	7,90	28	62	62	28	270	270	107,0	56	107,0	0,4
Morspeed	SL12	Street Race	2500-8000	8,05	8,13	36	66	81	43	282	304	107,0	79	105,0	0,4
MG	Metro Sport	Route	2000-6500	6,35	6,35	16	56	59	29	252	268	107,5	45	110,0	0,5
Leyland	997 Cooper	Route	2000-6500	6,35	6,35	16	56	51	21	252	252	107,5	37	110,0	0,4
Leyland	Cooper S	Route	2000-6000	6,35	6,35	10	50	51	21	240	252	107,5	31	110,0	0,4
Leyland	649/530	Course	3000-7500	7,96	7,96	50	70	75	45	300	300	102,5	95	100,0	0,4
Leyland	643/544	Course	2500-6500	7,96	7,96	34	74	69	39	288	288	107,5	73	110,0	0,4
Piper	HR255	Routier	1000-6000	7,34	7,34	21	59	59	21	260	260	109,0	42	109,0	0,35
Piper	BP255	Routier	1000-6000	7,29	7,24	12	48	44	16	240	240	106,0	28	108,0	0,3
Piper	BP270	Route rapide	1500-6500	7,64	7,64	31	65	65	31	276	276	107,0	62	107,0	0,3
Piper	BP285	Route - Rallye	2000-7000	7,94	7,94	33	67	67	33	280	280	107,0	66	107,0	0,3
Piper	HR285	Route - Rallye	2000-7000	8,13	8,13	28	64	60	32	272	272	106,0	60	108,0	0,4
Piper	BP300	Race - rallye	3000-8000	8,00	8,00	47	75	75	47	302	302	104,0	94	104,0	0,4
Piper	BP320	Course	4000-8500	8,33	8,33	57	83	83	57	320	320	103,0	114	103,0	0,3
Piper	649+	Course	3000-7500	7,94	8,33	50	70	81	51	300	312	102,5	101	100,0	0,4
Piper	457	Course	3000-7500	7,94	7,94	32	64	68	36	276	284	106,0	68	106,0	0,25
Piper	466	Course	3000-7000	6,85	6,95	32	60	65	27	272	272	106,5	59	104,0	0,3

marque	Designation	Usage	Plage de puissance	Levée adm. (mm)	Levée éch. (mm)	AOA	RFA	AOE	RFE	Timing Adm.	Timing Ech.	LCA	Over lap	Calage	Jeu culbu (mm)
Minisport	260	Route rapide	1000-6500	6,50	6,71	24	56	61	29	260	270	106,0	53	106,0	0,4
Minisport	265	Route - Turbo	1000-6000	7,11	7,11	24	60	60	24	264	264	108,0	48	108,0	0,3
Minisport	270i	Fast road inj	1500-6500	6,73	7,11	16	56	62	22	252	264	110,0	38	110,0	0,4
Minisport	285	Rallye	2000-7500	7,88	8,13	34	66	71	39	280	290	106,0	73	106,0	0,4
Minisport	295	Course	3250-8000	8,13	8,53	39	71	76	44	290	300	106,0	83	106,0	0,4
Minisport	CA1	Route	2000-6500	6,46	6,46	10	50	50	21	240	251	107,3	31	110,0	0,38
Minisport	CA2	Route rapide	2000-6500	6,46	6,46	16	56	51	21	252	252	107,5	37	110,0	0,38
Minisport	CA3	Route - Rallye	2500-7000	6,50	6,50	24	64	59	29	268	268	107,5	53	110,0	0,4
Minisport	CA4	Rallye - Race	2500-6500	7,86	7,86	34	74	63	39	288	282	106,0	73	110,0	0,4
Minisport	CA5	Course	3000-7500	8,01	8,01	50	70	75	45	300	300	102,5	95	100,0	0,4
Minisport	CA6	Rallye	2800-7500	7,86	8,01	34	74	75	45	288	300	107,5	79	110,0	0,4
Minisport	CA7	Rallye inj	3500-8000	8,37	8,33	49	77	81	45	306	306	106,0	94	104,0	0,35
MSC	EVO 1	Route	1500-6500	6,68	7,24	20	54	65	29	254	274	107,5	49	107,0	0,4
MSC	EVO 2	Route	1000-6000	9,04	8,99	31	65	64	26	276	270	108,0	57	107,0	0,38
AC DODD	OE	Road (Origine)	800-5000	6,71	6,71	14	46	49	11	240	240	107,5	25	106,0	0,33
AC DODD	RT	Road (Couple)	1000-5500	7,24	7,24	14	46	49	11	240	240	107,5	25	106,0	0,33
AC DODD	RS	Route	1250-6000	7,69	7,69	19	49	54	14	248	248	107,5	33	106,0	0,38
AC DODD	RS+	Fast Road	1750-6500	7,98	7,98	29	59	64	24	268	268	107,5	53	106,0	0,38
AC DODD	TSR	Race / Rallye	2850-7000	8,46	8,46	34	64	69	29	278	278	107,5	63	105,0	0,38
AC DODD	SPR	Track sprint	3650-8000	8,46	8,46	40	66	70	36	286	286	105,0	76	103,0	0,38
NEWMAN	731	Fast road	3000-7000	7,66	7,66	24	64	59	29	268	268	107,5	53	110,0	0,4
NEWMAN	B646			7,67	7,57	14	58	51	21	252	252	108,5	35	112,0	
NEWMAN	ARA/250/322I	SPI	2000-6000	8,41	8,41	13	57	62	18	250	260	112,0	31	112,0	0,30
NEWMAN	ARA/250/344I	MPI	2000-6500	8,74	8,74	13	57	62	18	250	260	112,0	31	112,0	0,30